INDEX

Page

Ability of Streptococci to Survive Pasteurization (paper) 321–330
Acer saccharum, density of 426–427
Acid, capric, relation to flavor of Roquefort cheese 7–8
caproic, relation to flavor of Roquefort cheese 7–8
caprylic, relation to flavor of Roquefort cheese 7–8
insoluble, of Roquefort-cheese fat 432–433
lactic, in cheese 206–210
nonvolatile, of Roquefort-cheese fat 432–433
soluble, presence in Roquefort cheese 3–9
valeric, relation to flavor of Roquefort cheese 7–8
volatile, of Roquefort-cheese fat 429–432
of cow's-milk fat 429–432
origin in Roquefort cheese 9
presence in Roquefort cheese 3–9
relation to flavor in Roquefort cheese 7–8
Agromyza parvicornis, character of injury of 18–19
corn-leaf blotch miner 15–32
description of 19–21
distribution of 17
host plants of 17–18
life history of 21–25
parasites of 25–29
Aldrich, J. M., description of *Sarcophaga kellyi* 443–444
Alternaria mali, n. sp., secondary fungi of leaf-spot of *Malus* spp 58–65
spp., carried by birds 417–420
Ammonia, production in milk 205–206
Andropogon sorghum, head smut of 339–372
Anthonomus grandis, food plants of 235–245
thurberiae, feeding experiments with *Hibiscus syriacus* 241–242
Aphaereta sp., parasite of *Sarcophaga kellyi* 443
Apple leaf-spot fungi, experiments with 57–66
See also Malus spp.
Arizona, origin of new varieties of cotton in 290–291
Aroma of Hops: A Study of the Volatile Oil with Relation to the Geographical Sources of the Hops (paper) 115–159
Ascochyta hortorum, syn. *Phomopsis vexans*.
Atalantia citrioides, comparison with Eremocitrus 87
glauca, syn. *Eremocitrus glauca*.
monophylla, comparison with Eremocitrus 87
Australia, Eremocitrus, a new genus of hardy, drouth-resistant citrous fruits from 85–100
Australian desert kumquat. *See Eremocitrus glauca*.
Ayers, S. Henry, and Johnson, William T., jr. (paper), Ability of Streptococci to Survive Pasteurization 321–330

V 2 INDEX 1914
XUM

Page
Bacillus lactis acidi, in Roquefort cheese 11
Bacteria, certain, relation of the action of to the ripening of cheese of the Cheddar type 193–216
Concerned in the Production of the Characteristic Flavor in Cheese of the Cheddar Type (paper) 167–192
Bacterial transformations of soil nitrogen, relation to nutrition of citrous plants 101–113
Bacterium casei, in Cheddar cheese 177–178, 182–184
in Cheddar cheese, classification of 174–177
in Cheddar cheese, influence on flavor production of 184–187
in Cheddar cheese, production of acid by 174–177, 180–181
in milk, production of ammonia by 205–206
in sterilized milk, production of lactic acid by 212–213
substances formed in sterile milk by action of 203–204
lactis acidi, in Cheddar cheese 177–178, 182–184
in Cheddar cheese classification of 171–172
in Cheddar cheese, constancy of reaction of 172–174
in Cheddar cheese, influence on flavor production of 187, 188–190
in Cheddar cheese, production of acid by 171–174, 180–181
in sterilized milk, production of lactic acid by 211–213
Barnyard grass. *See Echinochloa crus-galli.*
Beech. *See Fagus atropunicea.*
Behavior of Gup Current Meters under Conditions not Covered by Standard Ratings (paper) 77–83
Birds as Carriers of the Chestnut-Blight Fungus (paper) 405–422
carriers of *Alternaria* spp 417–420
carriers of *Cladosporium* spp 417–420
carriers of *Penicillium* spp 417–420
Blight, chestnut, birds as carriers of fungus of 405–422
fungus of. *See also Endothia parasitica.*
stem, etc., of the eggplant caused by *Phomopsis vexans* 331–338
Blotch miner, corn-leaf 15–32
Boll weevil, feeding habits on plants other than cotton 235–245
See also Anthonomus grandis.
Bud-moth, lesser 161–162
Bunzel, H. H. (paper), Oxidases in Healthy and in Curly-Dwarf Potatoes .. 373–404

Calcium chlorid, effect on citrous seedlings 104–108
Callirrhoe involucrata, food plant of *Anthonomus grandis* 236
pedata, food plant of *Anthonomus grandis* 236–237
Capric acid. *See* Acid, capric.
Caproic acid. *See* Acid, caproic.
Caprylic acid. *See* Acid, caprylic.
Capsicum annum, unsuccessful inoculation with *Phoma solani* 333–335
unsuccessful inoculation with *Phyllosticta hortorum* 333–335
Carica papaya, infestation by *Toxotrypana curvicauda* 447–454
Cellulose, effect on citrous seedlings 111
Certhia familiaris americana, carrier of *Endothia parasitica* 410–414
Chalcis coloradensis, parasite of *Sarcophaga* spp 442–443
Cheddar cheese, bacteria concerned in the production of the characteristic flavor of 167–192
See also Cheese, Cheddar.
Cheese, Cheddar, bacteria concerned in the production of the characteristic flavor of 167–192
bacterial content of 177–179, 182–184

Page
Cheese, Cheddar, ester formation in 204–205
relation of organism to flavor of 184
relation of the action of certain bacteria to the ripening of 193–216
variation in flora of 179–180
Pasteurized-milk, bacterial content of 182–184
raw-milk, bacterial content of 177–179
Roquefort, analysis of 5
composition of fat of 429–434
flavor of 1–14
origin of volatile acids in 9
Chestnut-blight fungus, birds as carriers of 405–422
longevity of pycnospores in soil 67–75
See also Endothia parasitica.
Chortophaga viridifasciata, host of *Sarcophaga* spp 439
Chrysocharis ainsliei, parasite of *Agromyza parvicornis* 28
parksi, parasite of *Agromyza parvicornis* 28
Cicada tibicen, attacked by *Sarcophaga kellyi* 437
Cirrospilus flavoviridis, parasite of *Agromyza parvicornis* 28
Citropsis spp. comparison with Eremocitrus 87
Citrous fruits, Eremocitrus, a new genus from Australia 85–100
plants, relation of bacterial transformations of soil nitrogen to nutrition of 101–113
Citrus australis, relation to Eremocitrus 87, 97
australasica, relation to Eremocitrus 87, 97
Garrowayi, relation to Eremocitrus 87
japonica, comparison with Eremocitrus 87
Root Nematode (paper) 217–230
roots, injury caused by *Tylenchulus semipenetrans* 218–219, 228
Cladosporium spp., carried by birds 417–420
Closterocerus tricinctus, parasite of *Agromyza parvicornis* 27–28
utahensis, parasite of *Agromyza parvicornis* 28
Clover, sweet, green, effect on citrous seedlings 111
Coad, B. R. (paper), Feeding Habits of the Boll Weevil on Plants Other than Cotton 235–245
Cobb, N. A. (paper), Citrus-Root Nematode 217–230
Coffee, *Pellicularia koleroga* on, in Porto Rico 231–233
Colaptes auratus luteus, carrier of *Endothia parasitica* 409–413
Coloration of the Seed Coat of Cowpeas (paper) 33–56
Coniothyrium pirinum, secondary fungi of leaf-spot of *Malus* spp 57–58, 61, 63, 65
Corn-Leaf Blotch Miner (paper) 15–32
Coryneum foliicolum, secondary fungi of leaf-spot of *Malus* spp 58, 63, 64, 65
Cotton, Egyptian, mutability of 295–299
mutation in 287–302
origin of 289–290
Gila, characters of 295
origin of 291, 294–295
Pima, characters of 294
origin of 291, 292–294
Yuma, origin of 291–292
Cowpea, classification of color factors in seed coat of 41–55
coloration of the seed coat of 33–56
See also Vigna sinensis.
Composition of Roquefort-Cheese Fat (paper) 429–434

V2 INDEX 1914 XU

Page

Crab-grass. *See Panicum sanguinale.*
Creeper, black-and-white. *See Mniotilta varia.*
brown. *See Certhia familiaris americana.*
Creonectria ipomoeae, syn. *Hypomyces ipomoeae.*
Creosote, absorption in crossties of *Quercus rubra*..... 428
Cronartium cerebrum, n. comb..... 247–249
Crossties, railroad, porosity of..... 428
Cup current meters, behavior under conditions not covered by standard ratings. 77–83
Current meters, cup, behavior under conditions not covered by standard ratings. 77–83
Currie, James N. (paper), Composition of Roquefort-Cheese Fat..... 429–434
Flavor of Roquefort Cheese..... 1–14

Datura tatula, unsuccessful inoculation with *Phoma solani*..... 333–335
Density of Wood Substance and Porosity of Wood (paper)..... 423–428
Derostenus diastatae, parasite of *agromyza parvicornis*..... 26–27
punctiventris, parasite of *Agromyza parvicornis*..... 28
Desert kumquat. *See Eremocitrus glauca.*
Devil's-grass, green, effect on citrous seedlings..... 111
Diaulinus begini, parasite of *Agromyza parvicornis*..... 28
pulchripes, parasite of *Agromyza parvicornis*..... 27
websteri, parasite of *Agromyza parvicornis*..... 27
Discolor, section of *Fusarium* spp..... 258–261
Dissosteira longipennis, host of *Sarcophaga kellyi*..... 437, 439
Dryobates pubescens medianus, carrier of *Endothia parasitica*..... 409–414
villosus, carrier of *Endothia parasitica*..... 409, 411, 413, 414
Dunlap, Frederick (paper), Density of Wood Substance and Porosity of Wood. 423–428

Echinochloa crus-galli, host plant of *Agromyza parvicornis*..... 18
Eggplant, fruit-rot, leaf-spot, and stem-blight of, caused by *Phomopsis vexans*. 331–338
See also Solanum melongena.
Elachertinae, parasite of *Agromyza parvicornis*..... 29
Elegans, section of *Fusarium* spp..... 263–268
Endothia parasitica, carried by *Certhia familiaris americana*..... 410–414
carried by *Colaptes auratus luteus*..... 409, 413
carried by *Dryobates pubescens medianus*..... 409–414
carried by *Junco hyemalis*..... 409, 412–414
carried by *Mniotilta varia*..... 411, 413–414
carried by *Regulus satrapa*..... 410, 413–414
carried by *Sitta carolinensis*..... 410, 413–414
carried by *Sphyrapicus varius*..... 410, 413–414
causal organism of chestnut blight..... 67–75
pycnospores of, carried by birds..... 416–417
relation of rainfall to birds as carriers of..... 414–415
Eremocitrus, a New Genus of Hardy, Drouth-Resistant Citrous Fruits from Australia (paper)..... 85–100
distribution of..... 89–91
n. genus..... 86–87
relationships of..... 87–88
glauca, drouth resistance of..... 93–95
grafting of..... 97–98
hardiness of..... 91–93
hybridization of..... 97
introduction into United States..... 96–97
n. comb..... 88–89
uses of fruits of..... 95–96
Errata..... IV

Page
Ester, formation of, in Cheddar cheese 204–205
Evans, Alice C., et al. (paper), Bacteria Concerned in the Production of the Characteristic Flavor of Cheese of the Cheddar Type 167–192
Relation of the Action of Certain Bacteria to the Ripening of Cheese of the Cheddar Type 193–216
Experiments with Apple Leaf-Spot Fungi (paper) 57–66

Fagus atropunicea, density of 426–427
Fat, cow's-milk, chemical constants of 430
volatile acids of 429–434
Roquefort-cheese, composition of 429–434
insoluble acids of 432–433
nonvolatile acids of 432–433
volatile acids of 430–432
sheep's-milk, chemical constants of 430
Fawcett, G. L. (paper), Pellicularia Koleroga on Coffee in Porto Rico 231–233
Feeding Habits of the Boll Weevil on Plants Other than Cotton (paper) 235–245
Fir, Douglas. *See Pseudotsuga taxifolia.*
Flavor, characteristic, in cheese of the Cheddar type, bacteria concerned in the production of 167–192
of Roquefort Cheese (paper) 1–14
relation to volatile acid 7–8
Flicker. *See Colaptes auratus luteus.*
Flint, E. M., et al. (paper), Relation of the Action of Certain Bacteria to the Ripening of Cheese of the Cheddar Type 193–216
Fly, papaya fruit 447–454
Fomes conchatus, relation to *Fomes putearius* 163–164
putearius, n. sp. 163–164
Fruit-Rot, Leaf-Spot, and Stem-Blight of the Eggplant Caused by Phomopsis Vexans (paper) 331–338
Fungus, apple leaf-spot, experiments with 57–66
chestnut-blight, birds as carriers of 405–422
longevity of pycnospores in soil 67–75
See also Endothia parasitica.
new wood-destroying 163–165
Fusarium acuminatum 269–270, 280, 282–283
batatatis, n. sp. 268, 279, 282–283
caudatum, n. sp. 262–263, 280, 282–283
var. *volutum*, n. var. 263, 280, 282–283
corallinum, syn. *Fusarium culmorum.*
culmorum 260–261, 280, 282–283
hyperoxysporum, n. sp. 268, 279, 282–283
identification of species occurring on *Ipomoea batatas* 251–286
incarnatum 258–260, 280, 282–283
key to species of 279–280
neglectum, syn. *Fusarium incarnatum.*
orthoceras 263–264, 279, 282–283
var. *triseptatum*, n. var. 264–268, 279, 282–283
oxysporum 268, 279, 282–283
radicicola, n. sp. 257–258, 279, 282–283
roseum, syn. *Gibberella Saubinetii.*
rostratum, syn. *Gibberella Saubinetii.*
rubiginosum, syn. *Fusarium culmorum.*
Schribauxi, syn. *Fusarium culmorum.*

V2 INDEX 1914

Page
Fusarium acuminatum, species without known perfect form..... 279–280
species with known perfect form..... 280
spp., characters..... 282–283
section Discolor..... 258–261
section Elegans..... 263–268
section Gibbosum..... 262–263
section Martiella..... 257–258
section Roseum..... 269–270
tropicalis, syn. *Gibberella Saubinetii*.
Fusisporium culmorum, syn. *Fusarium culmorum*.
incarnatum, syn. *Fusarium incarnatum*.

Gardner, M. W., and Heald, F. D. (paper), Longevity of Pycnospores of the Chestnut-Blight Fungus in Soil..... 67–75
Gibberella cyanogena, syn. *Gibberella Saubinetii*.
Saubinetii..... 276–279, 280, 282–283
fluctuation of conidial and perfect stages..... 277–278
tritici, syn. *Gibberella Saubinetii*.
Gibbosum, section of *Fusarium* spp..... 262–263
Grass, barnyard. *See Echinochloa crus-galli*.
crab. *See Panicum sanguinale*.
Grasshopper, control by *Sarcophaga* spp..... 439–441
new sarcophagid parasite of..... 435–446
See also Melanoplus spp., *Schistocerca americana*, *Chortophaga viridifasciata*.

Harter, L. L. (paper), Fruit-Rot, Leaf-Spot, and Stem-Blight of Eggplants Caused by Phomopsis Vexans..... 331–338
Hart, E. B., et al. (paper), Bacteria Concerned in the Production of the Characteristic Flavor in Cheese of the Cheddar Type..... 167–192
Relation of the Action of Certain Bacteria to the Ripening of Cheese of the Cheddar Type..... 193–216
Hastings, E. G., et al. (paper), Bacteria Concerned in the Production of the Characteristic Flavor in Cheese of the Cheddar Type..... 167–192
Relation of the Action of Certain Bacteria to the Ripening of Cheese of the Cheddar Type..... 193–216
Head Smut of Sorghum and Maize (paper)..... 339–372
Heald, F. D., and Gardner, M. W. (paper), Longevity of Pycnospores of the Chestnut-Blight Fungus in Soil..... 67–75
and Studhalter, R. A. (paper), Birds as Carriers of the Chestnut-Blight Fungus..... 405–422
Heat conductivity, relation to porosity of wood..... 423–424
Hedgcock, George G., and Long, W. H. (paper), Identity of Peridermium Fusiforme with Peridermium Cerebrum..... 247–250
Hibiscus syriacus, food plant of *Anthonomus grandis*..... 237–244
Hickory, mockernut. *See Hicoria alba*.
Hicoria alba, density of..... 426–427
Hop oil. *See* Oil, hop.
Hops, aroma of..... 115–159
influencing factors of aroma..... 115–116
yield of volatile oil of..... 118–119
Hypomyces cancri, n. comb..... 271–275, 280, 282–283
ipomoeae..... 270, 280, 282–283

Page
Identification of Species of Fusarium Occurring on the Sweet Potato, Ipomoea Batatas (paper)..... 251–286
Identity of Peridermium Fusiforme with Peridermium Cerebrum (paper).. 247–250
Influence of the Host on the Morphological Characters of Puccinia Ellisiana and Puccinia Andropogonis (paper)..... 303–319
Ipomoea batatas, identification of species of Fusarium occurring on..... 251–286
unsuccessful inoculation with *Phoma solani*..... 333–335

Johnson, William T., jr., and Ayers, S. Henry (paper), Ability of Streptococci to Survive Pasteurization..... 321–330
Junco hyemalis, carrier of *Endothia parasitica*..... 409, 412–414

Kearney, Thomas H. (paper), Mutation in Egyptian Cotton..... 287–302
Kellerman, Karl F., and Wright, R. C. (paper), Relation of Bacterial Transformation of Soil Nitrogen to Nutrition of Citrous Plants..... 101–113
Kelly, E. O. G. (paper), A New Sarcophagid Parasite of Grasshoppers..... 435–446
Knab, Frederick, and Yothers, W. W. (paper), Papaya Fruit Fly..... 447–454
Knight, golden-crowned. *See Regulus satrapa.*
Kumquat. *See Citrus japonica.*
Australian desert. *See Eremocitrus glauca.*

Lactic acid. *See* Acid, lactic.
Larch. *See Larix* spp.
Larix spp., host of *Fomes putearius*..... 163
Leaf-spot, etc., of the eggplant caused by *Phomopsis vexans*..... 331–338
fungi, apple, experiments with..... 57–66
Lesser Bud-Moth (paper)..... 161–162
Lignocellulose, density of..... 423–428
Long, W. H. (paper), Influence of the Host on the Morphological Characters of Puccinia Ellisiana and Puccinia Andropogonis..... 303–319
and Hedgcock, George C. (paper), Identity of Peridermium Fusiforme with Peridermium Cerebrum..... 247–250
Longevity of Pycnospores of the Chestnut-Blight Fungus in Soil (paper)..... 67–75
Lycopersicon esculentum, unsuccessful inoculation with *Phoma solani*..... 333–335
unsuccessful inoculation with *Phyllosticta hortorum*..... 333–335

Macroglenes sp., parasite of *Agromyza parvicornis*..... 29
Maize, head smut of..... 339–372
Malus spp., leaf-spot fungi of..... 57–66
Mann, Albert (paper), Coloration of the Seed Coat of Cowpeas..... 33–56
Manure, green, effect on citrous seedlings..... 111
Maple, sugar. *See Acer saccharum.*
Martiella, section of *Fusarium* spp..... 257–258
Melanoplus atlanis, host of *Sarcophaga kellyi*..... 436–438
biliturus, probable host of *Sarcophaga* spp..... 440
bivittatus, host of *Sarcophaga cimbicis*..... 439
host of *Sarcophaga hunteri*..... 439
host of *Sarcophaga kellyi*..... 435–439
host of *Sarcophaga sarraceniae*..... 439
differentialis, host of *Sarcophaga cimbicis*..... 439
host of *Sarcophaga hunteri*..... 439
host of *Sarcophaga kellyi*..... 435, 437–439
host of *Sarcophaga sarraceniae*..... 439
femur-rubrum, host of *Sarcophaga kellyi*..... 436
Meters, cup current, behavior under conditions not covered by standard ratings. 77–83

V 2 INDEX 1914 XUM

Page
Micrococcus, in Cheddar cheese 177–178, 182–184
classification of 171–172
constancy of reaction of 174
influence on flavor production of 187–188
production of acid by 172, 174, 180–181
in milk, production of ammonia by 206
substances formed in sterile milk by action of 201–203
Milk, ammonia production in 205–206
fat, cow's, volatile acids of 429–434
chemical constants of 430
of mammals, Reichert-Meissl number of 430
sheep's, chemical constants of 430
sterile, decomposition products of 197–203
Millet, hairy-leaved. *See Panicum miliaceum.*
Miner, corn-leaf blotch 15–32
Monochaetia mali, secondary fungi of leaf-spot of *Malus* spp 58, 63, 64, 65
Mononchus sp., parasite of *Tylenchulus semipenetrans* 226–228
Mniotilta varia, carrier of *Endothia parasitica* 411, 413–414
Mockernut hickory. *See Hicoria alba.*
Moth, lesser bud 161–162
Mutation in Egyptian Cotton (paper) 287–302
in plants, definition of 287

Nectria cancri, syn. *Hypomyces cancri.*
coffeicola, syn. *Hypomyces ipomoeae.*
Goroschankiniana, syn. *Hypomyces ipomoeae.*
ipomoeae, syn. *Hypomyces ipomoeae.*
saccharina, syn. *Hypomyces ipomoeae.*
Nematode, Citrus-root 217–230
New Sarcophagid Parasite of Grasshoppers (paper) 435–446
Nitrate, effect on citrous seedlings 111–112
Nitrogen, soil, bacterial transformations of relation to nutrition of citrous plants 101–113
Notanisomorpha ainsliei, parasite of *Agromyza parvicornis* 28
Nuthatch, white-breasted. *See Sitta carolinensis.*
Nutrition of citrous plants, relation of bacterial transformations to 101–113

Oak, red. *See Quercus rubra.*
Oil, hop, acid numbers of 124–125, 139–147
aldehydes in 149, 155
chemical composition of 147–155
chemical properties of 124–126, 139–155
color of 120, 122
combined acids in 147–148
ester numbers of 124–126, 139–147
esters of 151–154, 155
fractionation of 126–147
free acids in 147
humulene in 154–155
hydrocarbons of 149–150, 155
index of refraction of 121, 123
odor of 120, 122
optical rotation of 135–138
physical properties of 119–123

Page
Oil, hop, relation to source of hops. . . . 155–156
saponification numbers of. . . . 124–126, 139–147
saponified, physical properties of fractionation of. . . . 148–149
solubility of. . . . 121, 123
specific gravity of. . . . 121–123
fractions of. . . . 133–135
taste of. . . . 120, 122
Opius diastatae, parasite of *Agromyza parvicornis*. . . . 29
succineus, parasite of *Agromyza parvicornis*. . . . 29
utahensis, parasite of *Agromyza parvicornis*. . . . 29
Oxidases in Healthy and in Curly-Dwarf Potatoes (paper). . . . 373–404

Paine, J. H., and Scott, E. W. (paper), Lesser Bud-Moth. . . . 161–162
Panicum miliaceum, host plant of *Agromyza parvicornis*. . . . 18
sanguinale, host plant of *Agromyza parvicornis*. . . . 18
Papaya. *See Carica papaya.*
Fruit Fly (paper). . . . 447–454
See also Toxotrypana curvicauda.
Parasite, sarcophagid, of grasshoppers. . . . 435–446
Pasteurization, ability of streptococci to survive. . . . 321–330
Pellicularia Koleroga on Coffee in Porto Rico (paper). . . . 231–233
Peridermium cerebrum, identity with *Peridermium fusiforme*. . . . 247–250
fusiforme, identity with *Peridermium cerebrum*. . . . 247–250
Penicillium roqueforti, presence in Roquefort cheese. . . . 9–13
spp., carried by birds. . . . 417–420
Perilampus hyalinus, parasite of *Sarcophaga* spp. . . . 442–443
Phillips, W. J. (paper), Corn-Leaf Blotch Miner. . . . 15–32
Phoma solani, syn. *Phomopsis vexans.*
identity with *Phomopsis vexans*. . . . 337
identity with *Phyllosticta hortorum*. . . . 337
on *Solanum melongena*. . . . 333–335
Phoma vexans, syn. *Phomopsis vexans.*
Phomopsis mali, secondary fungi of leaf-spot of *Malus* spp. . . . 58, 61, 64, 65
vexans, n. comb. . . . 338
Phyllosticta hortorum, confused with *Ascochyta hortorum*. . . . 337–338
not found in United States. . . . 337
limitata, secondary fungi of leaf-spot of *Malus* spp. . . . 58, 65
Picea engelmanni, host of *Fomes putearius*. . . . 163
Pine, longleaf. *See Pinus palustris.*
white. *See Pinus monticola.*
yellow. *See Pinus ponderosa.*
Pinus monticola, host of *Trametes setosus*. . . . 164–165
palustris, density of. . . . 426–427
ponderosa, host of *Fomes putearius*. . . . 163
spp. host plants of *Peridermium* spp. . . . 247–249
Pleurotropis utahensis, parasite of *Agromyza parvicornis*. . . . 28
Porosity of wood and density of wood substance. . . . 423–428
Porto Rico, *Pellicularia koleroga* on coffee in. . . . 231–233
Potassium chlorid, effect on citrous seedlings. . . . 105–108
nitrate, effect on citrous seedlings. . . . 104–108, 111–112
Potato, oxidases in healthy and in curly-dwarf. . . . 373–404
See also Solanum tuberosum.
sweet. *See Ipomoea batatas.*
Potter, Alden A. (paper), Head Smut of Sorghum and Maize. . . . 339–372

V2 INDEX 1914

Page
Pseudotsuga taxifolia, density of 426–427
host of *Fomes putearius* 163
Pteromalidae, parasites of *Agromyza parvicornis* 29
Puccinia andropogonis, character and source of culture material of 305–314
dissemination of 303–305
incubation period of 315–316
influence of the host on the morphological characters of 303–319
morphological characters of 316–319
ellisiana, character and source of culture material of 305–314
dissemination of 303–305
incubation period of 314–315
influence of the host on the morphological characters of 303–319
morphological characters of 316–319
Pycnospores of the chestnut-blight fungus in soil, longevity of 67–75

Quercus rubra, absorption of creosote 428
density of 426–427
porosity of crossties of 428
spp., host plants of *Peridermium fusiforme* 248

Rabak, Frank (paper), Aroma of Hops 115–159
Rainfall, relation to birds as carriers of *Endothia parasitica* 414–415
Recurvaria crataegella, syn. *Recurvaria nanella*.
nanella 161–162
Regulus satrapa, carrier of *Endothia parasitica* 410, 413–414
Relation of Action of Certain Bacteria to the Ripening of Cheese of the Cheddar Type (paper) 193–216
Relation of Bacterial Transformations of Soil Nitrogen to Nutrition of Citrous Plants (paper) 101–113
Roberts, John W. (paper), Experiments with Apple Leaf-Spot Fungi 57–66
Roquefort cheese, enzyms of 11–13
fat, composition of 429–434
volatile acids of 430–432
flavor of 1–14
nonvolatile acids of fat of 432–433
Roseum, section of *Fusarium* spp 269–270
Rot, fruit, etc., of the eggplant caused by *Phomopsis vexans* 331–338

Salts, effect on citrous seedlings 104–108
Sapsucker. *See Sphyrapicus varius*.
Sarcophaga cimbicis, comparison with *S. kellyi* 445
parasite of grasshoppers 439–441
hunteri, parasite of grasshoppers 439–441
helicis, parasite of grasshoppers 437–441
kellyi, comparison with *S. cimbicis* 445
host of *Aphaereta* sp 443
host of *Chalcis coloradensis* 442–443
n. sp 443–444
parasite of grasshoppers 435–446
sarraceniae, host of *Chalcis coloradensis* 442–443
parasite of grasshoppers 439–441
sinuata, parasite of grasshoppers 441
spp., host of *Perilampus hyalinus* 442–443
parasites of 442–443
Sarcophagid parasite of grasshoppers, a new 435–446

Page
Schistocerca americana, host of *Sarcophaga* spp 436
Scobey, Fred C. (paper), Behavior of Cup Current Meters under Conditions not Covered by Standard Ratings 77–83
Scott, E. W., and Paine, J. H. (paper), Lesser Bud-Moth 161–162
Seed coat of cowpeas, coloration of 33–56
Sitta carolinensis, carrier of *Endothia parasitica* 410, 413–414
Smut, head, of sorghum and maize 339–372
See also Sorosporium reilianum.
Sodium bicarbonate, effect on cirtous seedlings 105
chlorid, effect on citrous seedlings 104–105
sulphate, effect on citrous seedlings 105
Soil, longevity of pycnospores of chestnut-blight fungus in 67–75
nitrogen, bacterial transformations of, relation to nutrition of citrous plants 101–113
Solanum melongena, fruit-rot, leaf-spot, and stem-blight of, caused by *Phomopsis vexans* 331–338
inoculation with *Phoma solani* 333–335
tuberosum, oxidase activity of juice of leaves of 381–385, 391–398
of shoots of 379, 380, 391
of sprouts of 385–387
of stems of 379, 381
of tubers of 385–389, 399–400
oxidase content of healthy plants of 377–389
oxidases of curly-dwarf-diseased plants of 389–399
rate of growth of 376–377
relation of size to age of 376–377
relative oxidase activity of healthy and curly-dwarf-diseased plants of 401–403
Sorghum, head smut of 339–372
Sorgo, Red Amber, infection of *Sorosporium reilianum* 360–367
Sorosporium reilianum, cause of floral alterations in *Andropogon sorghum* and *Zea mays* 344–345
distribution of 339–340
effect of floral inoculations of 357–358
effect of fungicides on spores of 355–357
effect of hot water on spores of 350–355
growth in artificial cultures 341–344
infection of nodal branches in *Andropogon sorghum* and *Zea mays* 345–348
infection of Red Amber sorgo from extraseminal inoculation of 360–367
influence of locality on occurrence of 358–359
life history of 348–357
prevention of 367
seed and spore treatments of 349–357
viability of spores of 349–357
Sphaeralcea lindheimeri, food plant of *Anthonomus grandis* 235–236
Sphaeropsis malorum, causal organism of leaf-spot of *Malus* spp 57, 58, 63, 64
Sphyrapicus varius, carrier of *Endothia parasitica* 410, 413–414
Spot, leaf, etc., of the eggplant caused by *Phomopsis vexans* 331–338
Spruce, Engelmann. *See Picea engelmanni.*
Stem-blight, etc., of the eggplant caused by *Phomopsis vexans* 331–338
Straw, effect on citrous seedlings 111–112
Streptococcus, ability to survive Pasteurization 321–330
determination of thermal death point of 322–329
effect of heat on 322–329

V2 INDEX 1914 XUM

Page
Streptococcus, in Cheddar cheese 177–178, 182–184
classification of 171–172
constancy of reaction of 173–174
influence on flavor production of 187–190
production of acid by 172–173, 180–181
in milk, production of ammonia by 206
substances formed in sterile milk by action of 197–200
Studhalter, R. A., and Heald, F. D. (paper), Birds as Carriers of the Chestnut-Blight Fungus 405–422
Sugar maple. *See Acer saccharum.*
Sweet potato. *See Ipomoea batatas.*
Swingle, Walter T. (paper), Eremocitrus, a New Genus of Hardy, Drouth-Resistant Citrous Fruits from Australia 85–100
Sympiesis sp., parasite of *Agromyza parvicornis* 27

Taxus brevifolia, density of 426–427
Toxotrypana curvicauda 448–452
control of 452
distribution of 447–448
increase of 452
infestation of *Carica papaya* 447–454
restricted to *Carica papaya* 452
Trametes setosus, n. sp. 164–165
Triphasia glauca, syn. *Eremocitrus glauca.*
Two New Wood-Destroying Fungi (paper) 163–165
Tylenchulus semipenetrans 217–230
description of 219–222
distribution of 217–219
injury to Citrus roots 218–219, 228
life-history cycle of 224–226

Valeric acid. *See* Acid, valeric.
Vigna sinensis, classification of color factors in 41–55
morphology of seed coat of 34–36
pigmentation of basal-color layer of 36–37
pigmentation of palisade layer of 37–40
seed destitute of pigmentation 40

Weevil, boll, feeding habits on plants other than cotton 235–245
Weir, James R. (paper), Two New Wood-Destroying Fungi 163–165
Wollenweber, H. W. (paper), Identification of Species of Fusarium Occurring on the Sweet Potato, Ipomoea Batatas 251–286
Wood, density of substance of 423–428
destroying fungi, two new 163–165
porosity of 423–428
relation to heat conductivity 423–424
relation to preservation of wood 424–428
Woodpecker, downy. *See Dryobates pubescens medianus.*
hairy. *See Dryobates villosus.*
Wright, R. C., and Kellerman, Karl F. (paper), Relation of Bacterial Transformations of Soil Nitrogen to Nutrition of Citrous Plants 101–113

Yew, Pacific. *See Taxus brevifolia.*
Yothers, W. W., and Knab, Frederick (paper), Papaya Fruit Fly 447–454

Zagrammosoma multilineata, parasite of *Agromyza parvicornis* 27
Zea mays, head smut of 339–372

V2

INDEX

1914

XUM